GENERAL INDEX

A

Abscission in cotyledonary node explants of cotton, effects of a natural promoter and amino acids 29
Absorption of phorate and phosphorus by cotton seedlings 137
Adenine catabolism in pine embryos and tissue cultures 141
Ailanthus, seasonal variation in toxicity of leaves to pine seedlings 262
Air pollutants, evaluation of methods used to determine injury caused to plant leaves 151
Ali, M. Kasem, New technique for growing tops of jute plants for seed 259
Allium; *see* Onion
Amide derivatives of 3,5-D, colchicine-like action on plants 264
Amino acids, effect on abscission in cotyledonary node explants of cotton 29
Amo-1618; *see* Quaternary ammonium compounds
Ananas comosus; *see* Pineapple
Anatomy, developmental, of tassel and ear shoots of corn grown with different boron levels 111; stem of Lilium longiflorum affected by phosfon 51; vascular, of flower of several U.S. species of Vacciniaceae 79, primary organization in Lupinus shoot 1; *see also* Morphology
Andropogon gerardi and A. scoparius, root network in prairie soil 16
Antheridia of some species of Polypodiaceae 223
Anti-oxidant, effect of ascorbic acid and reduced glutathione on inactivation of IAA by air-borne oxidants 170
Archegonia of some species of Polypodiaceae 223
Arekal, Govindappa D., Embryology of Klugia notoniana 144
Arnold, Wilfred N., An evaluation of methods used to determine injury to plant leaves by air pollutants 151
Ascorbic acid, as an anti-oxidant 170
Ashby, William Clark, Bud break and growth of basswood as influenced by daylength, chilling, and gibberellic acid 162
Audia, William V., Effects of isopropyl N-(3-chlorophenyl) carbamate on suberin, periderm, and decay development by Katahdin potato slices 255; Phenolic substances associated with wound-barrier formation in vegetables 211
Austin, S. W., Chlorophyll content and reflection spectra of Citrus leaves 10
Auxin; *see* Indoleacetic acid
Avena coleoptile sections used in assay of effect of air-borne oxidants on biological activity of IAA 170

B

Baker, H. G., Heterostyly in the Connaraceae with special reference to Byrsocarpus coccineus 206
Banana, May-flowering Dwarf Cavendish, abnormal flower and fruit 116
Barnes, Robert L., Adenine catabolism in pine embryos and tissue cultures 141
Basswood, bud break and growth as influenced by daylength, chilling, and gibberellic acid 162
Bean, dark-grown leaves, changes in protochlorophyllide-protein complexes during illumination 284; pinto, mechanism of root exudation of α-methoxyphenylacetic acid 134; red kidney, foliar absorption and translocation of P^{32} and 2,4-D as affected by soil-moisture tension 175
Beet, effect of salt on growth, respiration, and photosynthesis 279; phenolic substances in wound-barrier formation 211
Bell, Sandra L., The genus Collinsia. XV. A cytogenetic study of three fertile interspecific hybrids with an interchange complex of six chromosomes 190
Bell, Thomas A., Inhibition of pectinase and cellulase by certain plants 220
Berger, K. C., Developmental anatomy of tassel and ear shoots of corn grown with different levels of boron 111
Beta vulgaris; *see* Beet
Bogorad, Lawrence, Changes in protochlorophyllide-protein complexes during illumination of dark-grown leaves 284
Boron, different levels, effect on developmental anatomy of tassel and ear shoots in corn 111
Borthwick, H. A., Role of phytochrome in control of flowering of chrysanthemum 155
Bradley, Muriel V., Cell division and enlargement in mesocarp parenchyma of gibberellin-induced parthenocarpic peaches 243
Brandes, Jürgen, Electron micrograph purporting to show particles of leafroll virus of grapevines 77
Brassica rapa; *see* Turnip
Brunizem soil, root network 16
Bud break of basswood, influenced by daylength, chilling, and gibberellic acid 162
Buds of Sequoia gigantea, as affected by photoperiod 63
Byrsocarpus coccineus, heterostyly 206

C

Calcium-45; *see* Radioactive compounds
Callose, formation during development of sieve-plate pores 233
Cameron, D. R., Chromosome complement dosage in relation to seed development of species hybrids of Nicotiana 70
Capon, Brian, Changes in protochlorophyllide-protein complexes during illumination of dark-grown leaves 284
Carbon-14; *see* Radioactive compounds
Carrot, phenolic substances in wound-barrier formation 211
Cassytha, embryology 197
Cathey, Henry M., Comparative plant growth-retarding activity of Amo-1618, phosfon, and CCC 51; Role of phytochrome in control of flowering of chrysanthemum 155
CCC; *see* Quaternary ammonium compounds
Cell division and enlargement in mesocarp parenchyma of gibberellin-induced parthenocarpic peaches 243
Cell wall, development of sieve-plate pores 233
Cellulase, inhibition by certain plants 220
Cellulose, changes in sieve plate during development of pore 233
Chaudhuri, S. D., New technique for growing tops of jute plants for seed 259
Cheadle, V. I., Development of sieve-plate pores 233
Chemical structure, relation to growth-regulator activity of hydrazine derivatives, compounds with an unsaturated aliphatic moiety, and miscellaneous compounds 34
Chernozem soil, root network 16
Chilling, effect, on bud break and growth of basswood 162, on dormancy of tubers of Cyperus esculentus 186
Chlorogenic acid; *see* Phenolic substances
4-Chlorophenoxyacetic acid; *see* Chlorophenoxy compounds
Chlorophenoxy compounds, 4-chlorophenoxyacetic acid, effect on Poinsettia progeny of applications to young fruit on parent plant 43; 2,4-dichlorophenoxyacetic acid (2,4-D), foliar absorption and translocation as affected by soil-mois-

ture tension 175, root exudation in bean 134; 3,5-dichlorophenoxyacetic acid (3,5-D), colchicine-like action on plants of some amide derivatives 264
Chlorophyll, changes in pigment-protein complexes leading to formation and incorporation into chloroplasts 284; content, of Citrus leaves 10, of leaves exposed to air pollutants 151
Chromosome, aberrations in rice following gamma radiation 57; complement dosage in relation to seed development of species hybrids in Nicotiana 70; numbers and morphology in Louisiana irises 125
Chrysanthemum, role of phytochrome in control of flowering 155
CIPC; *see* Inhibitors
Citrus, leaf, chlorophyll content and reflection spectra in C. limonia, C. sinensis, and C. paradisi 10
C-mitosis, following treatment with amide derivatives of 3,5-D 264
Colchicine effect on mitosis, basis for comparison of effect of amide derivatives of 3,5-D 264
Coleus, wound-vessel formation in wounded stems 247
Collinsia, cytogenetic study, of three fertile interspecific hybrids with an interchange complex of six chromosomes 190, of interspecific hybrids 290
Comparative studies, effect, of amide derivatives of 3,5-D on twenty-two crop plants 264, of salt on growth, respiration, and photosynthesis of twelve crop plants 279; inhibition of pectinase and cellulase by leaf extracts of sixty-one species 220; of plant growth-retarding activity of Amo-1618, phosfon, and CCC in fifty-four species 51; of floral organography and vascular anatomy in U.S. species of Vacciniaceae 79
Cone, formation in Sequoia gigantea seedling 63
Conifers, pine, adenine catabolism in embryos and tissue cultures 141, seedlings affected by seasonal variation in toxicity of Ailanthus leaves 262; Sequoia gigantea, photoperiodic response of seedlings 63
Connaraceae, heterostyly with special reference to Byrsocarpus coccineus 206
Corchorus capsularis and C. olitorius; *see* Jute
Corn, developmental anatomy of tassel and ear shoots grown with different boron levels 111
Cotton, absorption and translocation of phorate and phosphorus by seedlings 137; accumulation of phorate from solution and sand culture 46; effects of a natural promoter and amino acids on abscission in cotyledonary node explants 29
Cotyledons, cotton, abscission affected by natural promoter and amino acids 29
Craft, C. C., Effects of isopropyl N-(3-chlorophenyl) carbamate on suberin, periderm, and decay development by Katahdin potato slices 255; Phenolic substances associated with wound-barrier formation in vegetables 211
Crane, Julian C., Cell division and enlargement in mesocarp parenchyma of gibberellin-induced parthenocarpic peaches 243
Crop plants, effect, of amide derivatives of 3,5-D 264, of salt on growth, respiration, and photosynthesis 279
Cucurbita, development of sieve-plate pores 233; phenolic substances in wound-barrier formation 211
Culture, organic requirements of excised roots of Nicotiana rustica 180; techniques for excised tops of jute plants to produce seed 259
Cyperus esculentus, factors affecting dormancy of tubers 186
Cytogenetics, chromosomal aberrations in rice following gamma radiation 57; chromosome complement dosage in relation to seed development of species hybrids in Nicotiana 70; of interspecific hybrids of Collinsia 290; of three fertile interspecific hybrids of Collinsia with an interchange complex of six chromosomes 190
Cytology, effect of colchicine and amide derivatives of 3,5-D on mitosis 264; in interspecific hybrids of Collinsia 290; karyotype analyses of Louisiana irises 125; of Byrsocarpus coccineus 206
Cytotaxonomy of Louisiana irises 125

D

2,4-D; *see* Chlorophenoxy compounds
Daucus carota; *see* Carrot
Davich, T. B., Absorption and translocation of phorate and phosphorus by cotton seedlings 137; Accumulation of phorate by cotton plants from solution and sand culture 46
Decay of potato slices as affected by CIPC 255
Dhillon, T. S., The genus Collinsia. XX. Cytogenetic studies of interspecific hybrids 290
3,5-Dichlorophenoxyacetic acid (3,5-D); *see* Chlorophenoxy compounds
Distyly in Byrsocarpus coccineus 206
Dormancy, factors affecting in tubers of Cyperus esculentus 186

E

Electron micrograph, of virus 77; of sieve-plate pores 233
Electron microscope study of development of sieve-plate pores 233
Embryo, development, in Cassytha 197, in Klugia notoniana 144; pine, adenine catabolism 141
Embryo sac, of Cassytha 197; of Klugia notoniana 144
Embryology, of Cassytha 197; of Klugia notoniana 144
Endoplasmic reticulum, relation to sieve-plate pores 233
Endosperm development, in Cassytha 197; in Klugia notoniana 144
Enzymes, inhibition of pectinase and cellulase by certain plants 220; peroxidase and phenolase activity in wound barriers of vegetables 211
Epidermal hairs, accumulation of Ca^{45} in sunflower stem 272
Ericales, organography and vascular anatomy of flower in several U.S. species of Vacciniaceae 79
Erwinia carotovora, used to cause decay in potato slices 255
Esau, Katherine, Development of sieve-plate pores 233
Etchells, John L., Inhibition of pectinase and cellulase by certain plants 220
Euphorbia pulcherrima; *see* Poinsettia
Extract, of Ailanthus leaves, effect on soil organisms and pine seedlings 262; of cotton pulvinoids, effect on abscission 29; of leaves of many plants, effect on inhibition of pectinase and cellulase 220; of tubers of Cyperus esculentus, characterization and effect on tuber and crop-seed germination 186

F

Fahn, A., The abnormal flower and fruit of May-flowering Dwarf Cavendish bananas 116
Ferns, spores and prothalli of some species of Polypodiaceae 223
Fertility, of interspecific hybrids in Collinsia 290; of species hybrids in Nicotiana, relation to chromosome complement dosage 70; of three interspecific hybrids of Collinsia with an interchange complex of six chromosomes 190
Fertilization, in Cassytha 197; in Klugia notoniana 144
Flavonoids; *see* Phenolic substances
Floral characters of interspecific hybrids in Collinsia 290
Floral induction, "forcing" in pineapple by hydrazine derivatives, compounds with an unsaturated aliphatic moiety, and miscellaneous compounds 34
Floral inhibition, in pineapple, by hydrazine derivatives, compounds with an unsaturated aliphatic moiety, and miscellaneous compounds 34
Flower, normal and abnormal, of May-flowering Dwarf Cavendish bananas 116; of Byrsocarpus coccineus 206; organogra-

phy and vascular anatomy in several U.S. species of Vacciniaceae 79
Flowering of chrysanthemum, role of phytochrome in controlling 155
Foliar absorption of P^{32} and 2,4-D as affected by soil-moisture tension 175
Forbs, root network in prairie soil 16
Fosket, Donald E., Further experiments on wound-vessel formation in stem wounds of Coleus 247
Fresh weight of leaves exposed to air pollutants 151
Fruit, abnormal, of May-flowering Dwarf Cavendish bananas 116; coat in Cassytha 197; parthenocarpic peach, cell division and enlargement in mesocarp parenchyma 243; Poinsettia, effect on progeny of treatment with 4-chlorophenoxyacetic acid 43

G

Gametophytes, of Cassytha 197; of Klugia notoniana 144
Garber, E. D., The genus Collinsia. XV. A cytogenetic study of three fertile interspecific hybrids with an interchange complex of six chromosomes 190, XX. Cytogenetic studies of interspecific hybrids 290
Gaylussacia, organography and vascular anatomy of flower in four U.S. species 79
Genetics of interspecific hybrids in Collinsia 290
Germination, of seeds, of pine as affected by Ailanthus leaf litter or extract 262, of Poinsettia from fruit treated with 4-chlorophenoxyacetic acid 43, of rice as affected by gamma radiation 57, of species hybrids of Nicotiana, relation to chromosome complement dosage 70; of spores of some species of Polypodiaceae 223; of tubers of Cyperus esculentus, as affected by low temperature, tuber extract, and gibberellic acid 186
Gibberellin, cell division and enlargement in mesocarp parenchyma of induced parthenocarpic peaches 243; effect of gibberellic acid, on bud break and growth of basswood 162, on germination of tubers of Cyperus esculentus 186
Girdling, effect on growth of excised tops of jute plants kept for seed production 259
Glutathione, reduced, as an anti-oxidant 170
Glycine, toxic to isolated roots of Nicotiana rustica 180
Gossypium; *see* Cotton
Gowing, Donald P., Studies on the relation of chemical structure to plant growth-regulator activity in the pineapple plant. IV. Hydrazine derivatives, compounds with an unsaturated aliphatic moiety and miscellaneous compounds 34
Grapefruit; *see* Citrus paradisi
Grasses, root network in prairie soils 16
Growth, comparative retardation by Amo-1618, phosfon, and CCC 51; of basswood as affected by daylength, chilling, and gibberellic acid 162; of crop plants as affected by salt 279; of excised tops of jute plants kept for seed production 259; of seedlings, of Poinsettia following applications of 4-chlorophenoxyacetic acid to young fruit on parent plant 43, of rice following gamma radiation 57, of Sequoia gigantea in response to photoperiod 63; of sunflower in response to internal Ca^{45} 272
Growth-inhibitors; *see* Quaternary ammonium compounds
Growth-regulators, hydrazine derivatives, compounds with an unsaturated aliphatic moiety, and miscellaneous compounds, effect on pineapple 34; mechanism of root exudation of α-methoxyphenylacetic acid in bean 134; *see also* Chlorophenoxy compounds, Gibberellin, Indoleacetic acid, Inhibitors, *and* Quaternary ammonium compounds
Gymnosperms, pine, adenine catabolism in embryo and tissue cultures 141, seedlings affected by seasonal variation in toxicity of Ailanthus leaves 262; Sequoia gigantea, photoperiodic response of seedlings 63

H

Hacskaylo, Joseph, Absorption and translocation of phorate and phosphorus by cotton seedlings 137; Accumulation of phorate by cotton plants from solution and sand culture 46
Hall, Wayne C., Leaf abscission in cotton. IV. Effects of a natural promoter and amino acids on abscission in cotyledonary node explants 29
Haustoria, endosperm, in Klugia notoniana 144
Heikkinen, Toivo, Developmental anatomy of tassel and ear shoots of corn grown with different levels of boron 111
Helianthus annuus, growth responses to internal Ca^{45} 272
Herrero, F. A., Leaf abscission in cotton. IV. Effects of a natural promoter and amino acids on abscission in cotyledonary node explants 29
Heterostyly in Connaraceae with special reference to Byrsocarpus coccineus 206
Histology; *see* Anatomy
Holochrome, chlorophyll, protochlorophyll, chlorophyllide, and protochlorophyllide, in dark-grown leaves 284
Humidity, effect on accumulation of phorate by cotton plant 46
Hybrids, interspecific, in Collinsia, cytogenetics of three with an interchange complex of six chromosomes 190, cytogenetics 290; natural, in Louisiana irises 125; of Nicotiana species, chromosome complement dosage in relation to seed development 70
Hydrazine derivatives; *see* Growth-regulators
Hypoxanthine, derived from adenine in pine tissues 141

I

Incompatability, self, in distylous Byrsocarpus coccineus 206
Indoleacetic acid (IAA), effect of air-borne oxidants on its biological activity 170
Inflorescences, developmental anatomy in corn grown with different levels of boron 111
Inhibitors, effect, of isopropyl N-(3-chlorophenyl) carbamate (CIPC) on suberin, periderm, and decay development in Katahdin potato slices 255, of iodoacetic acid, malonic acid, phenylthiourea, potassium cyanide, thiouracil, and traumatic acid on wound-vessel formation in Coleus stems 247
Inoxine, derived from adenine in pine tissues 141
Insecticide; *see* Phorate
Internode elongation in sunflower as affected by internal Ca^{45} 272
Iodoacetic acid; *see* Inhibitors
Ipomoea batatas; *see* Potato, sweet
Iris, Louisiana species, cytotaxonomy 125
Isopropyl N-(3-chlorophenyl) carbamate; *see* Inhibitors
Isotopes; *see* Radioactive compounds

J

Jute, new technique for growing tops for seed 259

K

Karyotype analyses of Louisiana irises 125
Katterman, F. R. H., Leaf abscission in cotton. IV. Effects of a natural promoter and amino acids on abscission in cotyledonary node explants 29
Klarman-Kislev, Naomi, The abnormal flower and fruit of May-flowering Dwarf Cavendish bananas 116
Klugia notoniana, embryology 144
Kommedahl, Thor, Factors affecting dormancy in tubers of Cyperus esculentus 186

L

Lauraceae, embryology of Cassytha 197
Leaf, Ailanthus, seasonal variation in toxicity to pine seedlings 262; bean, absorption of α-methoxyphenylacetic acid 134,

absorption of P^{32} and 2,4-D as affected by soil-moisture tension 175, dark-grown, changes in protochlorophyllide-protein complexes during illumination 284; Citrus, chlorophyll content and reflectance spectra 10; evaluation of methods used to determine injury by air pollutants 151; spread, in sunflower, as affected by internal Ca^{45} 272
Leaf trace system in Lupinus 1
Leeper, Robert W., Studies on the relation of chemical structure to plant growth-regulator activity in the pineapple plant. IV. Hydrazine derivatives, compounds with an unsaturated aliphatic moiety and miscellaneous chemicals 34
Lemon; *see* Citrus limonia
Light, changes in protochlorophyllide-protein complexes during illumination of dark-grown leaves 284; effect on growth of plants treated with quaternary ammonium compounds 51; *see also* Photoperiod
Lilium longiflorum, stem anatomy as affected by phosfon 51
Linder, Paul J., Mechanism of root exudation of α-methoxyphenylacetic acid in the bean plant 134
Lindquist, D. A., Absorption and translocation of phorate and phosphorus by cotton seedlings 137; Accumulation of phorate by cotton plants from solution and sand culture 46
Lupinus, primary vascular organization of shoot 1

M

Macdowall, F. D. H., Organic requirements for culture of excised roots of Nicotiana rustica 180
Malonic acid; *see* Inhibitors
Matolcsy, G., Colchicine-like action on plants of some amide derivatives of 3,5-dichlorophenoxyacetic acid 264
Megasporogenesis and megagametophyte development, in Cassytha 197; in Klugia notoniana 144
Mergen, François, Seasonal variation in toxicity of Ailanthus leaves to pine seedlings 262
Mesocarp; *see* Fruit
Metabolism, adenine catabolism in pine embryos and tissue cultures 141
Methods for determining injury to leaves by air pollutants, evaluation 151
α-Methoxyphenylacetic acid, mechanism of root exudation in bean 134
Microsporogenesis, in Cassytha 197; in Klugia notoniana 144
Mitchell, John W., Mechanism of root exudation of α-methoxyphenylacetic acid in the bean plant 134
Mitosis, effect of colchicine and amide derivatives of 3,5-D 264
Mitra, Jyotirmay, Cytotaxonomic studies of Louisiana irises 125
Moav, R., Chromosome complement dosage in relation to seed development of species hybrids in Nicotiana 70
Morphogenesis, xylem regeneration following wounding 247
Morphology, floral, organography and vascular anatomy in several U.S. species of Vacciniaceae 79; spores and prothalli of some species of Polypodiaceae 223; *see also* Anatomy *and* Embryology
Morton, H. L., Accumulation of phorate by cotton plants from solution and sand culture 46
Musa; *see* Banana
Mutagenic effects of gamma radiation on rice 57
Mutations, in rice, induced by gamma radiation 57

N

Nayar, B. K., Morphology of spores and prothalli of some species of Polypodiaceae 223
Nectary, abnormal development in May-flowering Dwarf Cavendish bananas 116; in Vacciniaceae 79
Nelson, Ira S., Cytotaxonomic studies of Louisiana irises 125
Nicotiana, chromosome complement dosage in relation to seed development of species hybrids 70; rustica, organic requirements for culture of excised roots 180
Nicotinic acid, toxic to isolated roots of Nicotiana rustica 180
Nieman, Richard H., Some effects of sodium chloride on growth, photosynthesis, and respiration of twelve crop plants 279
NO_2, irradiated mixture with olefin; *see* Oxidants, air-borne
Nutgrass; *see* Cyperus esculentus
Nutrition, boron, effect of different levels of developmental anatomy on tassel and ear shoots 111; organic requirements for culture of excised roots of Nicotiana rustica 180

O

Olefin, irradiated mixture with NO_2; *see* Oxidants, air-borne
O'Neill, Thomas B., Primary vascular organization of Lupinus shoot 1
Onion, effect of salt on growth, respiration, and photosynthesis 279
Orange; *see* Citrus sinensis
Ordin, Lawrence, Effect of air-borne oxidants on biological activity of indoleacetic acid 170
Organography of flower, normal and abnormal Dwarf Cavendish bananas 116; several U.S. species of Vacciniaceae 79
Oryza; *see* Rice
Oxidants, air-borne, effect on biological activity of IAA 170
Ozonated hexene; *see* Air pollutants
Ozone; *see* Air pollutants *and* Oxidants, air-borne

P

Pallas, J. E., Jr., Foliar absorption and translocation of P^{32} and 2,4-dichlorophenoxyacetic acid as affected by soil-moisture tension 175
Palser, Barbara F., Studies of floral morphology in the Ericales. V. Organography and vascular anatomy in several United States species of the Vacciniaceae 79
Panicum virgatum, root network in prairie soil 16
Parenchyma, accumulation of Ca^{45} in sunflower stem 272; mesocarp cell division and enlargement in induced parthenocarpic peaches 243
Parsnip, phenolic substances in wound-barrier formation 211
Parthenocarpy, induced in peach by gibberellin 243
Pea, effect of salt on growth, respiration, and photosynthesis 279
Pea test, split, used in study of relation of chemical structure to growth-regulator activity of hydrazine derivatives, compounds with an unsaturated aliphatic moiety, and miscellaneous compounds 34
Peach, cell division and enlargement in mesocarp parenchyma of gibberellin-induced parthenocarpic fruit 243
Pectinase, inhibition by certain plants 220
Periderm development in potato slices as affected by CIPC 255
Peroxidase activity in wound barriers of vegetables 211
Peroxyacetyl nitrate (PAN); *see* Oxidants, air-borne
Phaseolus; *see* Bean
Phenolase activity in wound barriers of vegetables 211
Phenolic substances associated with wound-barrier formation in vegetables 211
Phenylthiourea; *see* Inhibitors
Phloem, development of sieve-plate pores 233
Phorate, absorption and translocation by cotton seedlings 137; accumulation by cotton plants from solution and sand culture 46
Phosfon; *see* Quaternary ammonium compounds
Phosphorus, absorption and translocation by cotton seedlings 137
Phosphorus-32; *see* Radioactive compounds
Photoperiod, effect on bud break and growth of basswood 162

response of Sequoia gigantea seedlings 63; role of phytochrome in control of flowering of chrysanthemum 155
Photosynthesis of twelve crop plants as affected by salt 279
Phyllotaxy in Lupinus 1
Phylogeny in Vacciniaceae, speculations concerning 79
Phytochrome, role in control of flowering of chrysanthemum 155
Pigment; *see* Chlorophyll
Pine; *see* Pinus
Pineapple, used in studies of relation of chemical structure to growth-regulator activity of hydrazine derivatives, compounds with an unsaturated aliphatic moiety, and miscellaneous compounds 34
Pinus, adenine catabolism in embryos of P. elliottii and P. palustris and in tissue cultures of P. palustris and P. clausa 141; seedlings affected by seasonal variation in toxicity of Ailanthus leaves 262
Pistillate flower of corn grown at different boron levels 111
Pisum; *see* Pea
Plasmodesmata, relation to developing sieve-plate pores 233
Plummer, Gayther L., Growth responses of Helianthus annuus to internal calcium-45 272
Poinsettia, effect on progeny of applications of 4-chlorophenoxyacetic acid to young fruit on parent plant 43
Pollen, in Cassytha 197; in Klugia notoniana 144; in Vacciniaceae 79; stainable, in interspecific hybrids of Collinsia 190
Polyploidy, induced by colchicine and amide derivatives of 3,5-D 264
Polypodiaceae, morphology of spores and prothalli of some species 223
Porter, William L., Inhibition of pectinase and cellulase by certain plants 220
Potassium cyanide; *see* Inhibitors
Potato, slices, suberin, periderm, and decay development as affected by CIPC 255; sweet and white, phenolic substances in wound-barrier formation 211
Prairie, root network 16
Promoter, natural, effect on abscission in cotyledonary node explants of cotton 29
Propst, Betty, Effect of air-borne oxidants on biological activity of indoleacetic acid 170
Protein complexes with protochlorophyllide, changes during illumination of dark-grown leaves 284
Prothalli of some species of Polypodiaceae 223
Protochlorophyllide-protein complexes, changes during illumination of dark-grown leaves 284
Prunus; *see* Peach
Purines, adenine catabolism in pine embryos and tissue cultures 141
Pyridoxine, required for good growth of isolated roots of Nicotiana rustica 180

Q

Quaternary ammonium compounds, comparative plant growth-retarding activity of Amo-1618, phosfon, and CCC 51

R

Radiation, gamma, mutagenic effects on rice 57
Radioactive compounds, C^{14}, catabolism of adenine-8-C^{14} by pine embryos and tissue cultures 141, root exudation of C^{14}-carboxyl-labeled α-methoxyphenylacetic acid and 2,4-D 134; Ca^{45}, effect on growth of sunflower 272; P^{32}, absorption and translocation of P^{32}-labeled phorate and phosphoric acid by cotton seedlings 137, accumulation of P^{32}-labeled phorate by cotton plants 46, foliar absorption and translocation as affected by soil-moisture tension 175
Randolph, L. F., Cytotaxonomic studies of Louisiana irises 125
Reflection spectra of Citrus leaves 10
Respiration of twelve crop plants as affected by salt 279
Rice, mutagenic effects of gamma radiation 57
Risley, E. B., Development of sieve-plate pores 233
Roberts, Lorin W., Further experiments on wound-vessel formation in stem wounds of Coleus 247
Robinia pseudoacacia, development of sieve-plate pores 233
Robinson, Melba B., Mechanism of root exudation of α-methoxyphenylacetic acid in the bean plant 134
Root, bean, exudation of α-methoxyphenylacetic acid 134; cotton, absorption and translocation of phorate and phosphorus 137; leakage of phorate to nutrient solution 46; network in prairie soils 16; Nicotiana rustica, excised, organic requirements for culture 180
Rooting affected by quaternary ammonium compounds 51

S

Salt, effects on growth, photosynthesis, and respiration of twelve crop plants 279
Sastri, R. L. N., Studies in Lauraceae. III. Embryology of Cassytha 197
Seed, coat in Cassytha 197; germination, of pine, as affected by Ailanthus leaf extract 262, of Poinsettia from fruit treated with 4-chlorophenoxyacetic acid 43, of rice, as affected by gamma radiation 57, of species hybrids of Nicotiana, relation to chromosome complement dosage 70; jute, produced by transplanted tops of plants 259
Seedling, cotton, absorption and translocation of phorate and phosphorus 137, used in assay of abscission effects of cotton extract and amino acids 29; pine, as affected by seasonal variation in toxicity of Ailanthus leaves 262; Poinsettia, as affected by application of 4-chlorophenoxyacetic acid to young fruit on parent plant 43; rice, survival as affected by gamma radiation 57; Sequoia gigantea, photoperiod response 63
Seed-set, in interspecific hybrids of Collinsia 190, 290; in species hybrids of Nicotiana, relation to chromosome complement dosage 70
Sequoia gigantea, photoperiod responses of seedlings 63
Skok, John, Photoperiod responses of Sequoia gigantea seedlings 63
Smith, W. L., Jr., Effects of isopropyl N-(3-chlorophenyl) carbamate on suberin, periderm, and decay development by Katahdin potato slices 255
Sodium chloride; *see* Salt
Soil-moisture tension, effect on foliar absorption and translocation of P^{32} and 2,4-D 175
Soil organisms as affected by Ailanthus leaf litter or extract 262
Soils, prairie, root network 16
Solanum tuberosum; *see* Potato
Soriano, J. D., Mutagenic effects of gamma radiation on rice 57
Spartina pectinata, root network in prairie soil 16
Spinach, effect of salt on growth, respiration, and photosynthesis 279
Spores of some species of Polypodiaceae 223
Sporobolus heterolepis, root network in prairie soil 16
Squash; *see* Cucurbita
Stamen, nature and appendages in Vacciniaceae 79
Staminate flower of corn grown at different boron levels 111
Stem, Coleus, wound-vessel formation 247; Lilium longiflorum, anatomy as affected by phosfon 51; Lupinus, primary vascular organization 1
Sterility of Nicotiana species hybrids, affected by chromosome complement dosage 70
Stewart, Robert N., Effect on Poinsettia progeny of applications of 4-chlorophenoxyacetic acid to young fruit on parent plant 43

Stipa spartea, root network in prairie soil 16
Stomata in carpel lining and on nectary surface in Vacciniaceae 79
Struckmeyer, B. Esther, Developmental anatomy of tassel and ear shoots of corn grown with different levels of boron 111
Stuart, Neil W., Comparative plant growth-retarding activity of Amo-1618, phosfon, and CCC 51
Suberin, development in potato slices as affected by CIPC 255; in wound barriers of vegetables 211
Südi, J., Colchicine-like action on plants of some amide derivatives of 3,5-dichlorophenoxyacetic acid 264
Sugars, effect of kind and concentration on growth of excised roots of Nicotiana rustica 180
Sunflower; *see* Helianthus annuus

T

Temperature, effect on accumulation of phorate by cotton plant 46; low, effect, on bud break and growth of basswood 162, on germination of tubers of Cyperus esculentus 186
Thiamin, required for good growth of isolated roots of Nicotiana rustica 180
Thiouracil; *see* Inhibitors
Tilia; *see* Basswood
Tissue culture, organic requirements for culture of excised roots of Nicotiana rustica 180; pine, adenine catabolism 141
Tobacco; *see* Nicotiana
Todd, Glenn W., An evaluation of methods used to determine injury to plant leaves by air pollutants 151
Toxicity, of Ailanthus leaves to pine seedlings, seasonal variation 262; to pineapple plant of hydrazine derivatives, compounds with an unsaturated aliphatic moiety, and miscellaneous compounds 34
Translocation, of α-methoxyphenylacetic acid in bean 134; of P^{32} and 2,4-D as affected by soil-moisture tension 175; of phorate and phosphorus by cotton seedlings 137
Transpiration, effect on accumulation of phorate by cotton plants 46
Traumatic acid; *see* Inhibitors
Trichomes, epidermal, accumulation of Ca^{45} in sunflower stem 272; prothallial, of some species of Polypodiaceae 223
Tubers, Cyperus esculentus, factors affecting dormancy 186; potato, suberin, periderm, and decay development as affected by CIPC 255, phenolic substances in wound-barrier formation 211
Tumbleson, M. E., Factors affecting dormancy in tubers of Cyperus esculentus 186
Tumors, root and shoot, caused by amide derivatives of 3,5-D 264
Turnip, phenolic substances in wound-barrier formation 211
Turrell, F. M., Chlorophyll content and reflection spectra of Citrus leaves 10

V

Vacciniaceae, organography and vascular anatomy of flower in several U.S. species 79
Vaccinium, organography and vascular anatomy of flower in several U.S. species 79
Vascular differentiation in Lupinus shoot 1
Vegetables, phenolic substances associated with wound-barrier formation 211
Vessel, wound, formation following stem wounds of Coleus 247
Virus, leafroll of grapevines, electron micrograph 77; tobacco mosaic, electron micrograph 77
Vitamins; *see* Nicotinic acid, Pyridoxine, *and* Thiamin
Voigt, Garth K., Seasonal variation in toxicity of Ailanthus leaves to pine seedlings 262

W

Water relations, effect, of humidity on accumulation of phorate by cotton plant 46, of soil-moisture tension on foliar absorption and translocation of P^{32} and 2,4-D 175
Weaver, J. E., The living network in prairie soils 16
Weber, J. R., Chlorophyll content and reflection spectra of Citrus leaves 10
Williams, Carlos F., Inhibition of pectinase and cellulase by certain plants 220
Williams, G. G., Foliar absorption and translocation of P^{32} and 2,4-dichlorophenoxyacetic acid as affected by soil-moisture tension 175
Wound-barrier formation in vegetables, associated phenolic substances 211
Wound-vessel formation following stem wounds of Coleus 247

Z

Zea; *see* Corn
Ziv, D., The abnormal flower and fruit of May-flowering Dwarf Cavendish bananas 116

The Botanical Gazette

BARBARA F. PALSER · *EDITOR*

VOLUME 123

THE UNIVERSITY OF CHICAGO PRESS
CHICAGO · ILLINOIS

COPYRIGHT BY THE UNIVERSITY OF CHICAGO
PUBLISHED
SEPTEMBER, DECEMBER, 1961, AND MARCH, JUNE, 1962

COMPOSED AND PRINTED BY THE UNIVERSITY OF CHICAGO
PRESS, CHICAGO, ILLINOIS, U.S.A.

TABLE OF CONTENTS

1–9 PRIMARY VASCULAR ORGANIZATION OF *LUPINUS* SHOOT
Thomas B. O'Neill

10–15 CHLOROPHYLL CONTENT AND REFLECTION SPECTRA OF *CITRUS* LEAVES
F. M. Turrell, J. R. Weber, and S. W. Austin

16–28 THE LIVING NETWORK IN PRAIRIE SOILS
J. E. Weaver

29–34 LEAF ABSCISSION IN COTTON. IV. EFFECTS OF A NATURAL PROMOTER AND AMINO ACIDS ON ABSCISSION IN COTYLEDONARY NODE EXPLANTS
Wayne C. Hall, F. A. Herrero, and F. R. H. Katterman

34–43 STUDIES ON THE RELATION OF CHEMICAL STRUCTURE TO PLANT GROWTH-REGULATOR ACTIVITY IN THE PINEAPPLE PLANT. IV. HYDRAZINE DERIVATIVES, COMPOUNDS WITH AN UNSATURATED ALIPHATIC MOIETY AND MISCELLANEOUS CHEMICALS
Donald P. Gowing and Robert W. Leeper

43–46 EFFECT ON POINSETTIA PROGENY OF APPLICATIONS OF 4-CHLOROPHENOXYACETIC ACID TO YOUNG FRUIT ON PARENT PLANT
Robert N. Stewart

46–50 ACCUMULATION OF PHORATE BY COTTON PLANTS FROM SOLUTION AND SAND CULTURE
Joseph Hacskaylo, D. A. Lindquist, T. B. Davich, and H. L. Morton

51–57 COMPARATIVE PLANT GROWTH-RETARDING ACTIVITY OF AMO-1618, PHOSFON, AND CCC
Henry M. Cathey and Neil W. Stuart

57–63 MUTAGENIC EFFECTS OF GAMMA RADIATION ON RICE
J. D. Soriano

63–70 PHOTOPERIODIC RESPONSES OF *SEQUOIA GIGANTEA* SEEDLINGS
John Skok

70–77 CHROMOSOME COMPLEMENT DOSAGE IN RELATION TO SEED DEVELOPMENT OF SPECIES HYBRIDS IN *NICOTIANA*
R. Moav and D. R. Cameron

77 ELECTRON MICROGRAPH PURPORTING TO SHOW PARTICLES OF LEAFROLL VIRUS OF GRAPEVINES
Jürgen Brandes

79–111 STUDIES OF FLORAL MORPHOLOGY IN THE ERICALES. V. ORGANOGRAPHY AND VASCULAR ANATOMY IN SEVERAL UNITED STATES SPECIES OF THE VACCINIACEAE

Barbara F. Palser

111–116 DEVELOPMENTAL ANATOMY OF TASSEL AND EAR SHOOTS OF CORN GROWTH WITH DIFFERENT LEVELS OF BORON

B. Esther Struckmeyer, Toivo Heikkinen, and K. C. Berger

116–125 THE ABNORMAL FLOWER AND FRUIT OF MAY-FLOWERING DWARF CAVENDISH BANANAS

A. Fahn, Naomi Klarman-Kislev, and D. Ziv

125–133 CYTOTAXONOMIC STUDIES OF LOUISIANA IRISES

L. F. Randolph, Jyotirmay Mitra, and Ira S. Nelson

134–137 MECHANISM OF ROOT EXUDATION OF α-METHOXYPHENYLACETIC ACID IN THE BEAN PLANT

John W. Mitchell, Paul J. Linder, and Melba B. Robinson

137–140 ABSORPTION AND TRANSLOCATION OF PHORATE AND PHOSPHORUS BY COTTON SEEDLINGS

D. A. Lindquist, Joseph Hacskaylo, and T. B. Davich

141–143 ADENINE CATABOLISM IN PINE EMBRYOS AND TISSUE CULTURES

Robert L. Barnes

144–150 EMBRYOLOGY OF *KLUGIA NOTONIANA*

Govindappa D. Arekal

151–154 AN EVALUATION OF METHODS USED TO DETERMINE INJURY TO PLANT LEAVES BY AIR POLLUTANTS

Glenn W. Todd and Wilfred N. Arnold

155–162 ROLE OF PHYTOCHROME IN CONTROL OF FLOWERING OF CHRYSANTHEMUM

H. A. Borthwick and H. M. Cathey

162–170 BUD BREAK AND GROWTH OF BASSWOOD AS INFLUENCED BY DAYLENGTH, CHILLING, AND GIBBERELLIC ACID

William Clark Ashby

170–175 EFFECT OF AIR-BORNE OXIDANTS ON BIOLOGICAL ACTIVITY OF INDOLEACETIC ACID

Lawrence Ordin and Betty Propst

175–180 FOLIAR ABSORPTION AND TRANSLOCATION OF P^{32} AND 2,4-DICHLOROPHENOXYACETIC ACID AS AFFECTED BY SOIL-MOISTURE TENSION

J. E. Pallas, Jr., and G. G. Williams

180–185 ORGANIC REQUIREMENTS FOR CULTURE OF EXCISED ROOTS OF *NICOTIANA RUSTICA*
F. D. H. Macdowall

186–190 FACTORS AFFECTING DORMANCY IN TUBERS OF *CYPERUS ESCULENTUS*
M. E. Tumbleson and Thor Kommedahl

190–197 THE GENUS *COLLINSIA*. XV. A CYTOGENETIC STUDY OF THREE FERTILE INTERSPECIFIC HYBRIDS WITH AN INTERCHANGE COMPLEX OF SIX CHROMOSOMES
E. D. Garber and Sandra L. Bell

197–206 STUDIES IN LAURACEAE. III. EMBRYOLOGY OF *CASSYTHA*
R. L. N. Sastri

206–211 HETEROSTYLY IN THE CONNARACEAE WITH SPECIAL REFERENCE TO *BYRSOCARPUS COCCINEUS*
H. G. Baker

211–219 PHENOLIC SUBSTANCES ASSOCIATED WITH WOUND-BARRIER FORMATION IN VEGETABLES
C. C. Craft and William V. Audia

220–223 INHIBITION OF PECTINASE AND CELLULASE BY CERTAIN PLANTS
Thomas A. Bell, John L. Etchells, Carlos F. Williams, and William L. Porter

223–232 MORPHOLOGY OF SPORES AND PROTHALLI OF SOME SPECIES OF POLYPODIACEAE
B. K. Nayar

233–243 DEVELOPMENT OF SIEVE-PLATE PORES
Katherine Esau, V. I. Cheadle, and E. B. Risley

243–246 CELL DIVISION AND ENLARGEMENT IN MESOCARP PARENCHYMA OF GIBBERELLIN-INDUCED PARTHENOCARPIC PEACHES
Muriel V. Bradley and Julian C. Crane

247–254 FURTHER EXPERIMENTS ON WOUND-VESSEL FORMATION IN STEM WOUNDS OF *COLEUS*
Lorin W. Roberts and Donald E. Fosket

255–258 EFFECTS OF ISOPROPYL N-(3-CHLOROPHENYL) CARBAMATE ON SUBERIN, PERIDERM, AND DECAY DEVELOPMENT BY KATAHDIN POTATO SLICES
W. V. Audia, W. L. Smith, Jr., and C. C. Craft

259–261 NEW TECHNIQUE FOR GROWING TOPS OF JUTE PLANTS FOR SEED
M. Kasem Ali and S. D. Chaudhuri

262–265 SEASONAL VARIATION IN TOXICITY OF *AILANTHUS* LEAVES TO PINE SEEDLINGS
Garth K. Voigt and François Mergen

265–272 COLCHICINE-LIKE ACTION ON PLANTS OF SOME AMIDE DERIVATIVES OF 3,5-DICHLOROPHENOXYACETIC ACID
J. Südi and G. Matolcsy

272–278 GROWTH RESPONSES OF *HELIANTHUS ANNUUS* TO INTERNAL CALCIUM-45
Gayther L. Plummer

279–285 SOME EFFECTS OF SODIUM CHLORIDE ON GROWTH, PHOTOSYNTHESIS, AND RESPIRATION OF TWELVE CROP PLANTS
Richard H. Nieman

285–291 CHANGES IN PROTOCHLOROPHYLLIDE-PROTEIN COMPLEXES DURING ILLUMINATION OF DARK-GROWN LEAVES
Brian Capon and Lawrence Bogorad

291–298 THE GENUS *COLLINSIA*. XX. CYTOGENETIC STUDIES OF INTERSPECIFIC HYBRIDS
E. D. Garber and T. S. Dhillon

299–304 INDEX TO VOLUME 123